



Bergmann dumpers.
The models.

Bergmann. Built for you.



Made in Germany.

BERGMANN

For safety. A Bergmann.

Premium quality made in Germany.
High value stability. And maximum
operational safety. With these
features we will also be able to
convince you. Take us at our word.
www.bergmann-dumper.de

Ready for the future.

New names. New opportunities. Worldwide.

All Bergmann vehicles have had new names since 2020.

With this strategic step, we are adapting our system to the international market and are thus setting the course for further expansion. For you, everything remains the same: Bergmann will continue to stand for first-class quality "Made in Germany".

Market segment:
"Construction"

C815s

"short tons"

Category: "Wheels + Driver"

Size:

"Payload carrier vehicle"



Bergmann 2060

C 807 s



Bergmann 3012

C 815 s



Bergmann 4010

C 912 s

Compact dumpers

Fast and manoeuvrable.

➤ **Best overview**

A short tail and a high sitting position ensure the operator the best all-round overview.

For quick and safe work.

➤ **Year-round use**

Thanks to a collapsible weather protection roof (optional). In focus: health protection, profitability, transport costs.

➤ **Safety for the operator**

The operator enters the dumper outside the danger area. Because safety is the priority, right from the start.



C805s | C807s | C810s

compact dumper | open
swivel tip



C 805 s

NEW

Swivel-tip dumper

Payload	4,500 kg	9,921 lb
Capacity level	1.9 m³	2.5 yd³
Capacity heaped	2.6 m³	3.4 yd³
Total length	4,256 mm	13.96 ft
Total width	1,800 mm	5.91 ft
Clearance height without beacon light	2,765 mm	9.07 ft
Ground clearance	305 mm	1.00 ft
Dumping height	979 mm	3.21 ft
Load height (front)	1,479 mm	4.91 ft
Engine power	53 kW	71.07 hp
Empty weight	3,450 kg	7,606 lb



C 807 s

Swivel-tip dumper

Payload	6,000 kg	13,228 lb
Capacity level	2.5 m³	3.3 yd³
Capacity heaped	3.6 m³	4.7 yd³
Total length	4,575 mm	15.01 ft
Total width	2,043 mm	6.70 ft
Clearance height without beacon light	3,087 mm	10.13 ft
Ground clearance	326 mm	1.07 ft
Dumping height	1,141 mm	3.74 ft
Load height (front)	1,638 mm	5.37 ft
Engine power	55 kW	73.75 hp
Empty weight	4,300 kg	9,480 lb



/// C 810 s

Swivel-tip dumper

Payload	9,000 kg	19,842 lb
Capacity level	3.6 m³	4.7 yd³
Capacity heaped	4.6 m³	6.0 yd³
Total length	5,050 mm	16.57 ft
Total width	2,420 mm	7.94 ft
Clearance height without beacon light	3,239 mm	10.63 ft
Ground clearance	313 mm	1.03 ft
Dumping height	1,175 mm	3.85 ft
Load height (front)	1,893 mm	6.21 ft
Engine power	75 kW	100,58 hp
Empty weight	6,200 kg	13,669 lb

Wheel dumpers

Masterful at any construction site.

➤ **Best all-terrain traction**

With large tyres, articulated swivel joint and spring suspension front axle, the C815s also safely handles rough terrain under its wheels.

➤ **A real performer**

In addition to high performance technology, the cab with its rotating driver's stand (optional) enables fast, safe work.

➤ **For any requirements**

Rear, three-way, swivel-tip or carrier vehicle with quick-change apparatus, your Bergmann has the equipment you need for your construction site.



C815s | C828s
wheel dumper | cab
rear, three-way or
swivel tip



C 815 s

Rear tip dumper

Payload	12,000 kg	26,455 lb
Capacity level	5.0 m³	6.5 yd³
Capacity heaped	8.0 m³	10.5 yd³
Total length	6,834 mm	22.42 ft
Total width	2,505 mm	8.22 ft
Clearance height without beacon light	3,028 mm	9.93 ft
Ground clearance	429 mm	1.41 ft
Dumping height	923 mm	3.03 ft
Load height (front)	2,110 mm	6.92 ft
Engine power	119 kW	159.58 hp
Empty weight	9,080 kg	20,017 lb



C 815 s

Three-way tip dumper

Payload	12,000 kg	26,455 lb
Capacity level	4.2 m³	5.5 yd³
Capacity heaped	8.0 m³	10.5 yd³
Total length	7,593 mm	24.91 ft
Total width	2,541 mm	8.34 ft
Clearance height without beacon light	3,028 mm	9.93 ft
Ground clearance	429 mm	1.41 ft
Dumping height	449 mm	1.47 ft
Load height (front)	2,052 mm	6.73 ft
Engine power	119 kW	159.58 hp
Empty weight	10,020 kg	22,090 lb



C 815 s

Swivel-tip dumper

Payload	12,000 kg	26,455 lb
Capacity level	6.3 m³	8.5 yd³
Capacity heaped	8.0 m³	10.5 yd³
Total length	7,129 mm	23.39 ft
Total width	2,500 mm	8.20 ft
Clearance height without beacon light	3,028 mm	9.93 ft
Ground clearance	424 mm	1.40 ft
Dumping height	1,441 mm	4.73 ft
Load height (front)	2,273 mm	7.46 ft
Engine power	119 kW	159.58 hp
Empty weight	11,140 kg	24,559 lb



C 828 s

Rear tip dumper

Payload	25,000 kg	55,116 lb
Capacity heaped	15.0 m³	19.6 yd³
Total length	9,316 mm	30.56 ft
Total width	2,870 mm	9.42 ft
Clearance height without beacon light	3,353 mm	11.00 ft
Ground clearance	480 mm	1.57 ft
Dumping height	700 mm	2.30 ft
Load height (front)	2,719 mm	8.92 ft
Engine power	188 kW	252.11 hp
Empty weight	19,250 kg	42,439 lb

Our underground specialists.

➤ **Maximum safety**

With its ergonomic reversible seat, the tunnel dumpers offer an excellent view of the work environment from every direction of travel.

➤ **High work efficiency**

With work speeds up to 40 km/h forwards and 30 km/h backwards, the C828s is the ideal transport vehicle for tunnelling and mining.

➤ **A cost-effective powerhouse**

High-performing yet cost-effective. The 2-axle design ensures low tyre and track wear and makes the articulated 6.7-litre diesel vehicle a cost-effective powerhouse.

**Built for the
tunnel.**

Track dumpers

Strong on any substrate.

➤ High speed

With a well-conceived safety concept and a driving speed of up to 15 km/h, C912s is convincing even on the most difficult substrate. Safe and high-performing.

➤ Economical and low-emission

State-of-the-art engine technology convinces with low diesel consumption and low emission values. Economical and environmentally friendly.

➤ Convincing ergonomics

The spacious driver's cab with rotating operator stand (optional) makes turning manoeuvres superfluous. Efficient and back-friendly.



C912s

track dumper | cab
rear or swivel tip



C 912s

Rear tip dumper

Payload	10,000 kg	22,046 lb
Capacity level	4.7 m³	6.1 yd³
Capacity heaped	6.5 m³	8.5 yd³
Total length	5,963 mm	19.56 ft
Total width	2,900 mm	9.51 ft
Clearance height without beacon light	3,050 mm	10.01 ft
Ground clearance	613 mm	2.01 ft
Dumping height	797 mm	2.61 ft
Load height (front)	1,646 mm	5.40 ft
Engine power	180 kW	241.38 hp
Empty weight	14,250 kg	31,415 lb



C 912 s

Swivel-tip dumper

Payload	10,000 kg	22,046 lb
Capacity level	4.7 m³	6.1 yd³
Capacity heaped	6.5 m³	8.5 yd³
Total length	6,246 mm	20.49 ft
Total width	2,900 mm	9.51 ft
Clearance height without beacon light	3,050 mm	10.01 ft
Ground clearance	613 mm	2.01 ft
Dumping height	1,058 mm	3.47 ft
Load height (front)	1,670 mm	5.48 ft
Engine power	180 kW	241.38 hp
Empty weight	14,850 kg	32,738 lb



C 912s

Carrier vehicle

Payload	11,200 kg	24,691 lb
Total length	5,674 mm	18.62 ft
Total width	2,900 mm	9.51 ft
Clearance height without beacon light	3,050 mm	10.01 ft
Ground clearance	613 mm	2.01 ft
Engine power	180 kW	241.38 hp
Empty weight	13,250 kg	29,211 lb

Solutions

Completely individual in accordance with your requirements.



Contact us!

T +49 (0) 5932 7292-0

What makes a Bergmann so safe:

1. High level of operational safety thanks to robust, durable, and certified technology
2. Rotating operator stand for maximum operational safety
3. Spring suspension rear axle for driving comfort and health protection
4. Safe entry and exit outside the danger area
5. Weather protection roof for a healthy work environment
6. Retractable bucket chute for working at a safe distance from the building pit
7. Permanent stability monitoring with warning function for quick and safe work
8. Investment security through partnership at eye level with an established family-owned company



**For safety.
A Bergmann.**

All illustrations, dimensions and weights do not necessarily correspond to the standard equipment and are non-binding with regard to tolerance deviations on component level. We reserve the right to make technical changes.

Bergmann. Built for you.

Bergmann Maschinenbau GmbH & Co. KG

Essener Straße 7 | 49716 Meppen | T +49 (0) 5932 7292-0
info@bergmann-mb.de | www.bergmann-dumper.de